

CODE	MODEL	TYPE	POWER SUPPLY	SERIES
935451	PQG200D	BOILING PAN	GAS	SPECIAL EQUIPMENTS

DESCRIPTION

GAS BOILING PAN 200L DIRECT HEATING
TECHNICAL DATA

Gas power (kW)	34,5
Standard voltage* (kW)	400V/3N/50-60Hz
Tank height (mm)	520
Cooking tank diameter (mm)	750
N° of tanks	1x230lt
IPX Protection Grade (mm)	IPX4

DIMENSIONS DATA

Product dimensions (mm)	1000W x 1150 P x 900 H
Gross weight (kg)	270
Packaging volume (m3)	1.9


CONSTRUCTIONAL FEATURES

Cooking tank with bottom in stainless steel AISI 316 (thickness 20-25/10) specifically intended for the processing of particularly acid products, and walls in stainless steel AISI 304 (thickness 20/10). Balanced lid in stainless steel AISI 304 (thickness 12-15/10) with athermic handle. Supporting structure in stainless steel AISI 430 (thickness 15-20/10). Heat insulation guaranteed by panels in thick glass fibre. Cover in stainless steel AISI 304, fine satin finish (thickness 10/10). Adjustable feet in stainless steel AISI 304 to ensure levelling.

TECHNICAL FEATURES

Heating by means of stainless steel, high-efficiency, tube burners. Ignition by means of constant spark system powered by a battery (1,5 V) and pilot flame. Minimum/maximum cock with thermocouple safety system. Tank filled with water by means of tap (hot/cold water) and swivel hose. Exhaust hole of tank with filter (extractable). Wash-out valve in chrome-plated brass, 2 inc., (1 inc 1/2 for 50 l. model) with insulating handle. Water faucet (hot/cold water). Temperature adjustment with min/max cock. Tank front drain tap.

ACCESSORIES(not included)


Code	Model	Description
861833	CPS202	2 STAINLESS STEEL BASKETS 1/2
861839	CPS302	2 STAINLESS STEEL BASKETS 1/2
861840	CPS502	2 STAINLESS STEEL BASKETS 1/2
861853	CPS203	3 STAINLESS STEEL BASKETS 1/3
861859	CPS303	3 STAINLESS STEEL BASKETS 1/3
861865	CPS503	3 STAINLESS STEEL BASKETS 1/3
861959	K200	STAINLESS STEEL COUSCOUSIERE
861965	K300	STAINLESS STEEL COUSCOUSIERE

CODE	MODEL	TYPE	POWER SUPPLY	SERIES
935451	PQG200D	BOILING PAN	GAS	SPECIAL EQUIPMENTS

DESCRIPTION

GAS BOILING PAN 200L DIRECT HEATING

TECHNICAL DRAWING



CONNECTIONS

G = GAS	ø1/2"
E = ELECTRIC	400V/3N/50-60Hz
W = WATER INLET	ø1/2"
F = COLD WATER INLET	ø1/2"